

EWM BR Bulb

Replaces [50W/65W/75W Equivalent Bulb]



LM79
LM80



Features

- Full range with BR20, BR30, and BR40
- Power Output: 7W/8W/10W/12W/17W
- 50W/65W/85W equivalent bulb
- Lighting output: 550lm/650lm/800lm/1050lm
- Dimmable
- Beam Angle: 120°
- Life Span: 25,000 hours
- Warranty: 3 years
- Base: E26
- Certificate: UL, FCC, Energy Star

Ordering information


Family	Size	Watts	Driver	Lens	Beam	CRI	Color	Conn.	Sort #
BR	20	07	1ID 120 volt, internal, dimming	F Frosted	120 120 deg	8 80	27 2700K	26 E26 Edison	245
		30 3000K							
		40 4000K							
	50 5000K								
	40	10							
		17							

Example: BR-30-08-1ID-F120-830-26-245

SPECIFICATIONS

WATTAGE	7W	8W	10W	12W	17W
LUMENS	550lm	650lm	650lm	800lm	1050lm
LUMENS PER WATT	78lm/W	81lm/W	65lm/W	67lm/W	62lm/W
BEAM ANGLE	120°				
COLOR TEMP	2700K, 3000K, 4000K, 5000K				
INPUT VOLTAGE	90-135Vac				
HERTZ	50-60Hz				
CRI	Ra>80				
LED L70 LIFETIME	25000hours				
BASE	E26				
CONTROL OPTIONS	Dimmable				
DIMENSIONS	95X63mm	95X63mm	125x159mm	95x135mm	125x159mm
WEIGHT					
CERTIFICATIONS	UL, FCC, Energy Star				
WARRANTY	3 years				

Photometric



Operating Cost Comparison

50W Incandescent 50W 10,000	EWM 7W 7W 25,000	Comparison 86% reduction 2.5x longer life- less maintenance!
65W Incandescent 65W 10,000	EWM 8W 8W 25,000	88% reduction 2.5x longer life- less maintenance!
65W Incandescent 65W 10,000	EWM 10W 10W 25,000	85% reduction 2.5x longer life- less maintenance!
65W Incandescent 65W 10,000	EWM 12W 12W 25,000	82% reduction 2.5x longer life- less maintenance!
85W Incandescent 85W 10,000	EWM 17W 17W 25,000	80% reduction 2.5x longer life- less maintenance!