

# EWM Globe Lamp

Replaces 40W, 60W Equivalent Bulbs



LM79  
LM80



- ☑ Power Output: 5W/7W
- ☑ 40-60W equivalent bulb
- ☑ Lighting output: 330lm/500lm
- ☑ Dimming
- ☑ Rated Voltage: 120Vac
- ☑ Beam Angle: 250°
- ☑ Life Span: 25,000 hours
- ☑ Warranty: 3 years
- ☑ Base: E12/E26




Family	Size	Watts	Driver	Lens Beam	CRI Color	Conn.	Sort #
GL	16	05	1ID 120 volt, internal, dimming	C0 Clear 25 250 deg	8 80 30 3000K 40 4000K 50 5000K	E12 Candelabra E26 Medium	245
	25	07		F0 Clear 25 250 deg			

Example: GL-25-07-1ID-F027-840-E26-245

# SPECIFICATIONS

WATTAGE	5W	7W
LUMENS	330lm	500lm
LUMENS PER WATT	70 lm/W	
BEAM ANGLE	$\geq 250^\circ$	
COLOR TEMPERATURES	2700k,3000k,4000k,5000k	
INPUT VOLTAGE	120Vac	
HERTZ	50/60Hz	
CRI	$\geq 80$	
LED L70 LIFETIME	25,000 hours	
SOCKET	E12/E26	
CONTROL OPTIONS	Dimming	
DIMENSIONS	D50x90mm (G16), D79x126mm(G25)	
WEIGHT	0.6lb	0.8lb
CERTIFICATIONS	CE ROHS UL/cUL, FCC, Energy Star	
WARRANTY	3 years	

## Photometric



*Product enhancements may result in specification changes without notice. Contact us for the latest information*

# Operating Cost Comparison

Incandescent 40W 40W 10,000	<b>EWM 5W</b> 5W 25,000	Comparison 87% reduction 2.5x longer life- less maintenance!
Incandescent 60W 60W 10,000	<b>EWM 7W</b> 7W 25,000	88% reduction 2.5x longer life- less maintenance!

*Product enhancements may result in specification changes without notice. Contact us for the latest information*